


FORM PTO 1449 (modified) U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE LIST OF REFERENCES CITED BY APPLICANT(S) (Use several sheets if necessary) Date Submitted to PTO: October 14, 2004				ATTY DOCKET NO. 213202.00499		APPLICATION NO. 10/823,778		
				APPLICANT JAMES SAMSOONDAR				
				FILING DATE April 14, 2004		GROUP 3736		
U.S. PATENT DOCUMENTS								
*EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE	
/AS/		US 2003/0068822 A1	04/10/03	Jacobs, et al.	436	15		
		US 6,268,910 B1	07/31/01	Samsoondar, et al.	356	39		
		5,846,492	12/08/98	Jacobs, et al.	422	67		
		5,447,838	09/05/95	Meiklejohn, et al.	435	5		
		5,429,128	07/04/95	Cadell, et al.	128	633		
		5,361,758	11/08/94	Hall, et al.	128	633		
		5,310,679	05/10/94	Artiss, et al.	436	18		
		5,278,073	01/11/94	Grandjean	436	12		
		5,134,284	07/28/92	Volgyesi	250	252.1		
		4,866,644	09/12/89	Shenk, et al.	364	571.02		
		4,772,561	09/20/88	Genshaw	436	169		
		4,603,044	07/29/86	Geho, et al.	424	9		
		4,297,143	10/27/81	Kleinschmit, et al.	501	103		
		4,116,336	09/26/78	Sorensen, et al.	206	524.8		
↓		4,069,016	01/17/78	Wu	23	230 B		
/AS/		4,001,142	01/04/77	Turner	252	408		
FOREIGN PATENT DOCUMENTS								
		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION YES/NO/ OR ABSTRACT	
/AS/		WO 00/70350	11/23/00	PCT	G01N	33/68	Yes	
/AS/		WO 98/39634	09/11/98	PCT	G01N	21/27	Yes	
EXAMINER				DATE CONSIDERED				
/Arlen Soderquist/				12/29/2007				

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO 1449 (modified) U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE LIST OF REFERENCES CITED BY APPLICANT(S) (Use several sheets if necessary)				ATTY DOCKET NO. 213202.00499		APPLICATION NO. 10/823,778	
Date Submitted to PTO: October 14, 2004				APPLICANT JAMES SAMSOONDAR			
				FILING DATE April 14, 2004		GROUP 3736	
FOREIGN PATENT DOCUMENTS							
		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION YES/NO/ OR ABSTRACT
/AS/		WO 98/38961	09/11/98	PCT	G01N	21/31	Yes
		2,283,154	09/11/98	Canada	G01N	21/27	Yes
		WO 97/47972	12/18/97	PCT	G01N	33/96	Yes
		2,169,803	11/20/96	Canada	G01N	33/96	Yes
		2,216,657	10/03/96	Canada	G01N	37/00	Yes
		WO 94/08225	04/14/94	PCT	G01N	21/27	Yes
↓		WO 87/06343	10/22/87	PCT	G01N	31/00	Yes
/AS/		EP 0 132 399 A1	01/30/85	Europe	G01N	33/52	Yes
OTHER DOCUMENT(S) (Including Author, Title, Date, Pertinent Pages, Etc.)							
/AS/		Ozdemir, et al., "Hybrid Calibration Models: An Alternative to Calibration Transfer", Applied Spectroscopy, Vol. 52, No. 4, (1998), pages 599-603.					
		Blank, et al., "Transfer of Near-Infrared Multivariate Calibrations without Standards", Analytical Chemistry, Vol. 68, No. 17, (1996), pages 2987-2995.					
		Gemperline, et al., "Appearance of Discontinuities in Spectra Transformed by the Piecewise Direct Instrument Standardization Procedure", Analytical Chemistry, Vol. 68, No. 17, (1996), pages 2913-2915.					
		Blanco, et al., "Wavelength Calibration Transfer Between Diode Array UV-Visible Spectrophotometers", Applied Spectroscopy, Vol. 49, No. 5, (1995), pages 593-597.					
		Funk, et al., "Quality Assurance Chemistry", (1995), pages 50, and 68-72.					
		Bouveresse, et al., "Calibration Transfer Across Near-Infrared Spectrometric Instruments Using Shenk's Algorithm: Effects of Different Standardisation Samples", Analytica Chimica Acta, Vol. 297, (1994), pages 405-416.					
		"Measurement of Hemoglobin Concentration in Whole Blood", Tietz Textbook of Clinical Chemistry, 2nd Edition, (1994), pages 2020-2025, and 2069.					
		Wang, et al., "Multivariate Instrument Standardization", Analytical Chemistry, Vol. 63, No. 23, (1991), pages 2750-2756.					
↓		Martinek, "Liquid Absorbance Standards for Ultraviolet, Visible, and Near Infrared Spectrophotometry", J. Amer. Med. Technol., Vol. 40, (1978), pages 210-216.					
/AS/		Harboe, "A Method for Determination of Hemoglobin in Plasma by Near-Ultraviolet Spectrophotometry", Scandinv. J. Clin. & Lab. Investigation, Vol. 11, (1959), pages 66-70.					
EXAMINER				DATE CONSIDERED			
/Arlen Soderquist/				12/29/2007			

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO.

026806.00014

SERIAL NO.

10/823,778

APPLICANT


James SAMSOONDAR

FILING DATE

April 14, 2004

GROUP

1743



LIST OF REFERENCES CITED BY APPLICANT

(Use several sheets if necessary)

U.S. PATENT DOCUMENTS

EXAMINER'S INITIALS		DOCUMENT NO.	DATE	NAME	CLASS	SUB-CLASS	FILING DATE
/AS/	AA	2003/0027341 A1	02/06/2003	SAMSOONDAR			
	AB						
	AC						
	AD						
	AE						
	AF						

FOREIGN PATENT DOCUMENTS

		DOCUMENT NO.	DATE	COUNTRY	CLASS	SUB-CLASS	TRANSLATION YES NO PART.		
/AS/	AG	2,385,663 A	08/27/2003	GB					
	AH								
	AI								
	AJ								
	AK								
	AL								

OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)

	AM	Communication from European Patent Office in counterpart foreign application No. EP 04 253 225.9
	AN	
	AO	

EXAMINER

/Arlen Soderquist/

DATE CONSIDERED

12/29/2007

*EXAMINER:

Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.